BOOSTER CAR SEAT

BFL300 Suitable for GroupII+III / 15kg to 36kg

USER INSTRUCTIONS



NOTICE

This is a "Universal" child restraint. It is approved to Regulation No.44.04 series of amendments, for general use in vehicles and it will fit most, but not all, car seats.

A correct fit is likely if the vehicle manufacturer has declared in the vehicle handbook

that the vehicle is capable of accepting a "Universal" child restraint for this age group.

This child restraint has been classified as "Universal" under more stringent conditions

than those which applied to earlier designs which do not carry this notice.

If in doubt, consult either the child restraint manufacturer or the retailer.

"Only suitable if the approved vehicles are fitted with lap/3 point/static/with retractor safety-belts, approved to UN/ECE Regulation No. 16 or other equivalent standards." (strike out what does not apply)

Contents:

Product introduce
Notice
Warning4
Installation methods5
Maintenance6
Warranty7
Important notes7

Thanks for choosing our BFL300 booster cushion unit for your children! The product is approved to ECE R44/04 as a booster cushion unit for group II+III,15-36kg child approx. The car seat will maximumly protect your child only when it is correctly used. Otherwise, it may cause danger and injury.

In order to protect your child correctly, the BFL300 must always be used and installed as described in these instructions.

NOTICE

This is a "Universal" child restraint. It is approved to Regulation No.44,04 series of amendments, for general use in vehicles and it will fit most, but not all, car seats.

This child restraint has been classified as "Universal" under more stringent conditions than those which applied to earlier designs which do not carry this notice.

Please keep this instruction manual in good condition and read it thoroughly before use. It will help you to install the booster cushion unit correctly. Any incorrect installation shall cause serious injury to your child. The manufacturer is not responsible for any danger caused by wrong installation.

Warning

- The BFL300 booster cushion unit is suitable for children weighing 15-36kgs(33-79lbs).
- The device only suitable if the approved vehicles are fitted with 3 point safety-belts, approved to UN/ECE Regulation No. 16 or other equivalent standards.
- Please place it forward-facing. DO NOT put them in the front passenger seat if there is a passenger air bag.
- 4. Any straps holding the restraint to the vehicle should be tight, that any straps restraining the child should be adjusted to the child's body, and that straps should not be twisted.
- Ensuring that any lap strap is worn low down, so that the pelvis is firmly engaged, shall be stressed.
- 6. DO NOT leave the buckle in a partially closed position and it must only lock when all parts are engaged. It must be possible to release the child from the restraint immediately in an emergency.
- The device should be changed when it has been subject to violent stresses in an accident.
- 8. Do not make any alterations or additions to the device without the approval of the manufacturer. It is dangerous if not following closely the installation instructions provided by the child restraint manufacturer.
- The child restraint should be kept away from sunlight when it is not provided with the textile cover, otherwise it may be too hot for the child's skin.

- 10. Children are not left in their child restraint system unattended.
- Any luggage or other objects liable to cause injuries in the event of a collision shall be properly secured.
- 12. The child restraint must not be used without the cover.
- 13. The seat cover should not be replaced with any other than the one recommended by the manufacturer, because the cover constitutes an integral part of the restraint performance.
- 14.Do not use any load bearing contact points other than those described in the instructions and marked in the child restraint.
- 15. This child restraint can only be used in the car, not for home.
- 16.DO NOT put objects on the child restraint, keep it away from corrosive material.
- 17.The Manufacturer will guarantee the quality of the child car seat, but not the second-hand seat.

Installation methods

1.Put the seat on the car, push the booster cushion firmly against the car seat backrest, let the child sit on the booster,pull out the car seat belt, thread the car lap belt under the armrest then across your child's hips,pull the diagonal belt through your child's chest, then pull the lap belt and the diagonal belt together through the other side of the armrest and buckle up. Tighten the lap belt and diagonal belt . Caution! The car seat belt is not tangled, twisted or jammed in the car door or other auto-parts. As below picture:



2.To remove a child from the seat, as long as you can release the seat belt buckle.

Maintenance for booster cushion unit

1.The cover can be removed and washed with a mild detergent in 30 $^\circ\!\!\mathbb{C}$ water.

2.Do not spin, and never tumble dry in an electric clothes dryer, only dry in the air.

3. The plastic can be wiped by wet cloth with lukewarm soapy water. Do not use chemical reagent, bleacher or corrosive substance.



If in doubt, consult either the child restraint manufacturer or the retailer. Do not use any accessories and replacement parts which are manufactured without the permition of our company.



"Beflye"brand booster cushion unit has been produced against all the existing safety regulation standard and the E approval.We provide a 1-year warranty against manufacturing or spare parts defects.The warranty period is effective from the day of purchase.

Important Notice

The dealer has the responsibility to inform the commodity selling date. Please show this instruction manual in case of any damage of the commodity. Please take care of this manual for instant contaction with the manufacturer.